Table A-21. Onroad and Nonroad Emissions of 21 Mobile Source Air Toxics, 1996

	Onroad		Nonroad		Mobile Sources	
Compound	**Tons**	**Percent of Total National Emissions**	**Tons**	**Percent of Total National Emissions**	**Tons**	**Percent of Total National Emissions**
1,3-Butadiene*	23,500	42%	9,900	18%	33,400	60%
Acetaldehyde*	28,700	29%	40,800	41%	69,500	70%
Acrolein*	5,000	16%	7,400	23%	12,400	39%
Arsenic Compounds*	0.25	0.06%	2.01	0.51%	2.26	0.57%
Benzene*	168,200	48%	98,700	28%	266,900	76%
Chromium Compounds*	14	1.2%	35	3%	49	4.2%
Dioxins/Furans* [1]	NA	NA	NA	NA	NA	NA
Ethylbenzene	80,800	47%	62,200	37%	143,000	84%
Formaldehyde*	83,000	24%	86,400	25%	169,400	49%
Lead Compounds*	19	0.8%	546	21.8%	565	22.6%
Manganese Compounds*	5.8	0.2%	35.5	1.3%	41.3	1.5%
Mercury Compounds*	0.2	0.1%	6.6	4.1%	6.8	4.2%
MTBE	65,100	47%	53,900	39%	119,000	86%
n-Hexane	63,300	26%	43,600	18%	106,600	44%
Naphthalene[2]	NA	NA	NA	NA	NA	NA
Nickel Compounds*	10.7	0.9%	92.8	7.6%	103.5	8.5%
POM (as sum of 7 PAH)*	42.0	4%	19.3	2%	61.3	6%
Styrene	16,300	33%	3,500	7%	19,800	40%
Toluene	549,900	51%	252,200	23%	802,100	74%
Xylene	311,000	43%	258,400	36%	569,400	79%
Diesel Particulate Matter	182,000	34%	341,000	65%	523,000	99%

*On the urban HAPs list for the Integrated Urban Air Toxics Strategy

[1]Dioxin/Furans emission estimates are still under review
[2]Naphthalene emission estimates are currently included in POM. This will be corrected in the 1999 NTI.